

## **DURA STILTS**

JOBGING ITEM NO	SIZE	PK
9797-006	D18-30 18"-30"	1
9797-008	D24-40 24"-40"	1

JOBGING ITEM NO	SIZE	PK
9797-001	F14 F14"	1
9797-002	F16 F16"	1
9797-003	F18 F18"	1
9797-004	F20 F20"	1
9797-005	F22 F22"	1

JOBGING ITEM NO	SIZE	PK
9797-007	1000 Pair	1

### **ADJUSTABLE DURA-III STILTS**

- Steel inserts at adjustment screw location




### **FIXED DURA-STILTS**

- The fixed height Dura-Stilts is the lightest ankle movement stilt on the market today.
- Recommended where the height of the work does not vary.



### **STRAP ON ADAPTER SETS**

- The set includes adjustable aluminum heel stops, straps of heavy duty webbing with non-slip locking buckles and mounting hardware.



## **DYNAMIC**

JOBGING ITEM NO	SIZE	PK
9718-133	NF100210 Head Only	8
9718-132	NF100100	8

### **METAL POLE SANDER-FEMALE THREADS**

### **MALE POLE SANDER W/WOOD POLE**

## **GREAT AMERICAN**

JOBGING ITEM NO	PK
9864-008 PT05680	12

JOBGING ITEM NO	PK
9864-004 PT05660	12

JOBGING ITEM NO	SIZE	PK
9864-005 PT05613	3"	24

### **HEAVY DUTY PLASTIC MUD PAN WITH STEEL BLADE**

14" X 4 1/2" at top, 12 1/4" x 2 3/4" at bottom and 3 3/8" deep.



### **CORNER TOOL**

Smooth inside corners, for use with joint compound and plaster.



### **1/4" V NOTCH ADHESIVE SPREADER**

Excellent quality and valve sturdy plastic tool, solvent resistant.



## **HOMAX**

JOBGING ITEM NO	SIZE	PK
9818-007 4055	20 oz.	12
9818-009 4070	16 oz.	12

JOBGING ITEM NO	SIZE	PK
9818-019 4091	10 oz.	12
9818-020 4092	20 oz.	12

### **EASY TOUCH**

Spray Texture Oil Base -Orange Peel & Splatter  
Easy Touch Acoustic Ceiling Texture



### **TEXTURES**

Orange Peel and Splatter spray texture water base



# SECTION 9 DRY WALL CENTER

•Finishing •Hanging •Sanding •Stilts •Taping •Textures

## HOMAX

JOBGING ITEM NO	PK
9818-003 4105	6
9818-004 4120	6

**SPRAY TEXTURE TOUCHUP**  
**ACOUSTIC TEXTURE TOUCHUP**



## TRIMACO

JOBGING ITEM NO	SIZE	PK
9787-017 605560	4"x 4"	12
9787-018 606660	6"x 6"	12
9787-019 607260	8" x 8"	12

### **PERFECT PATCH**

A self adhesive metal/mesh patch that can be placed over wall or door holes, creating a virtually invisible patch. Metal is anti-rust aluminum.

## WALLBOARD

### DRYWALL HANGING TOOLS

JOBGING ITEM NO	SIZE	PK
9988-001 02-001	12 oz 14" Hdl.	6
9988-046 02-003	16 oz 14" Hdl.	6

### **DRYWALL HAMMERS**

Original Drywall Hammer, forged steel head convex serrated face to set nails in a perfect dimple. 12oz., 14" hardwood handle



JOBGING ITEM NO	PK
9988-002 03-001	2

### **ROLL LIFTER**

Original roll lifter, all steel heavy duty construction, patented roller wheel design holds drywall tight for accurate nailing. Toe kick for easy placement.



JOBGING ITEM NO	SIZE	PK
9988-003 04-001	6"	6

### **UTILITY SAW**

Original Drywall Saw, 6" high carbon steel with chisel point to penetrate drywall. Aggressive tooth design cuts smoothly and stays sharp.



JOBGING ITEM NO	SIZE	PK
9988-004 06-001	15"	6

### **DRYWALL SAW**

Extra Stiff high carbon steel blade with coarse teeth. Tapered nose for easy penetration.



JOBGING ITEM NO	PK
9988-005 08-001	6

### **CIRCLE CUTTER**


Original circle cutter, cuts clean circles up to 16", Heat treated scoring blade, sharp center point, calibrated steel shaft for precise cuts.



JOBGING ITEM NO	SIZE	PK
9988-006 09-001	3/16" x 47 7/8"	6

### **DRY WALL T SQUARE - SILVER**

Original Drywall T Square. Heat treated aluminum construction. Head calibrated for accurate 16" stud measurement. Reverse ruled blade for precise measurement in either direction.



**251-443-6110**  
**251-408-0410 Fax**

**Toll Free:**  
**(In Alabama)**

**1-800-621-6952**  
**1-800-672-6707**



**BLP MOBILE PAINTS**

**WALLBOARD**

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-049    16-010    Commercial    6

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-010    16-001    Box Style    6  
 9988-011    16-005    Semi-Flat    6

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-052    16-019    up to 44"    6

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-083    31-016    18" x 30"    1  
 9988-084    31-017    Set of 4 Legs    1

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-087    71-001    1 1/8" Bead    1  
 9988-088    71-002    1 1/4" Bead    1

**JOBGING ITEM NO**    **PK**  
 9988-089    71-003    1

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-015    18-002    8"    6  
 9988-016    18-003    10"    6  
 9988-017    18-004    12"    6

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-073    21-006    18"    4

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-100    18-028    8"    6  
 9988-101    18-030    10"    6  
 9988-102    18-032    12"    6

**JOBGING ITEM NO**    **SIZE**    **PK**  
 9988-103    18-058    8"    6  
 9988-104    18-060    10"    6  
 9988-105    18-062    12"    6

**DRYWALL HANGING TOOLS**

**NAIL BAGS**



**TOOL POUCHES**



**HEAVY DUTY LEATHER BELT**

2" wide belt



**ALUMINUM BENCH**

High strength aluminum alloy construction. 2" leg adjustments from 18" to 32". Rubber feet prevent slipping. Maximum Load 400 lbs. Top is 9 1/2" x 48"



**SET OF LEGS**

**CORNER BEAD TOOL W/MALLET**

Cornerbead Tool attaches cornerbead by crimping metal reducing the number of nails needed, durable aluminum body, heat treated crimping blades includes rubber mallet



**REPAIR KIT - FOR CORNER BEAD TOOL**

**DRYWALL TAPING TOOLS**

**BLUE STEEL / WOOD HANDLE**

Smooth ridgeless blade mount of lightweight aluminum, professional 1095 blue spring steel. Contoured sealed wooden handle mounted with aircraft alloy rivets.



**BLUE STEEL / 18" WOOD HANDLE**



**TUFF GRIP BLUE STEEL BLADE**

Tuff Grip handles provides superior grip qualities to prevent slippage during use along with the ultimate in comfort, Aluminum blade mounting, professional 1095 blue spring steel blades, mounted with aircraft alloy rivets.



**TUFF GRIP STAINLESS STEEL BLADE**

Same Tuff Grip handle as above. Stainless steel taping knives are stiffer than blue steel and that is a personal preference for the user, stainless is normally preferred by painters since it does not rust- painters are neater people than drywallers.



## WALLBOARD

JOBGING ITEM NO	SIZE	PK
9988-078	22-006	6"
		20

JOBGING ITEM NO	SIZE	PK
9988-098	05-002	6"
		6

JOBGING ITEM NO	SIZE	PK
9988-021	24-002	12"
		6
9988-022	24-003	14"
		6

JOBGING ITEM NO	SIZE	PK
9988-023	27-002	12"
		6

JOBGING ITEM NO	SIZE	PK
9988-027	41-001	10 1/4" L
		1

JOBGING ITEM NO	SIZE	PK
9988-026	42-001	5"x 5 1/2"
		6
9988-079	42-002	6"x 6 1/2"
		6

JOBGING ITEM NO	SIZE	PK
9988-060	43-001	24" Length
		6

JOBGING ITEM NO	SIZE	PK
9988-091	81-001	2-5" Adj.
		2
9988-092	81-002	3-5" Adj.
		2
9988-093	81-004	2-2 1/2" Adj.
		6

## DRYWALL TAPING TOOLS

### HAMMEREND KNIFE

- High carbon steel blades uniformly tapered for proper flex.
- High impact, molded plastic handle with nailing head to set protruding drywall nails



### BUCKET SCOOP

- Designed to remove material cleanly from a 3 or 5 gallon pail. Made of heavy duty stainless, ergonomic design for ease of use. Tuff grip handle.



### STAINLESS STEEL MUD PANS

- Heavy gauge stainless steel with HELI-ARC welded corners
- Professional quality water-tight construction
- Tapered ends and sides



### RED POLYETHYLENE MUD PAN

- Textured sides for sure gripping
- Withstands temperature variations
- Double Bladed




### TAPE REEL

- All steel construction
- Holds 500' roll of tape and has handy belt clip.
- Quick open design - no nuts or bolts
- Tape threads through lower slot for quick unrolling and tear off



### HAND MIXERS

- SQUARE - 25" L
- SEMI ROUND - 37" L



42-001



42-002

### QUICK MIXER

- Steel shaft with cast aluminum head.
- Requires 1/2" drill with a minimum 6 amp motor and maximum of 800 RPM.
- Blades designed to fold and mix material quickly



81-001 - 3/8" x 24"

### POWER MIXERS

- Heavy plated steel shaft and wheels designed to fold material with no lumping.
- Requires 1/2" drill with minimum 6 amp motor and max 800 rpm.



81-002 - 3/8" x 24"



81-004 - 1/4" x 11"

**WALLBOARD**

JOBGING ITEM NO	SIZE	PK
9988-106	88-063 2'4"6"	12
9988-107	88-066 6'8"10"	12

JOBGING ITEM NO	SIZE	PK
9988-110	38-030 9" x 4 1/2" x 1 3/4"	12

JOBGING ITEM NO	SIZE	PK
9988-024	34-002 3 1/4" x 9 1/4"	6

JOBGING ITEM NO	SIZE	PK
9988-025	35-001	12
9988-080	35-003 48" Pole Only	1

JOBGING ITEM NO	SIZE	PK
9988-108	35-012	12
9988-115	35-023 Head Only	1

JOBGING ITEM NO	PK
9988-109	35-009

JOBGING ITEM NO	SIZE	PK
9988-032	47-002 12 1/2" X 12 1/2"	6

JOBGING ITEM NO	SIZE	PK
9988-031	46-002 4" x 12"	6

JOBGING ITEM NO	SIZE	PK
9988-028	82-001 4" x 5"	6

JOBGING ITEM NO	SIZE	PK
9988-029	82-002 2 1/4" x 4 1/8"	6

**DRYWALL TAPING TOOLS**

**PLASTIC TAPING KNIFE SETS**  
High impact polyethylene plastic; tough and economical.



**FINISHING & SANDING TOOLS**

**DRYWALL SANDING SPONGE**  
Designed for sanding drywall joint compound, achieves a professional feather finish. Dustless sanding when used wet. Yellow side cleans and smooths, white side for more aggressive sanding. Rinse and reuse.



**HAND SANDER**



**COMPLETE UNIVERSAL POLE SANDER**  
Die cast aluminum base 3 1/4" x 9 1/4" reinforced ridges to prevent bowing, universal joint with low center of gravity. Wing nut clamp design allows several sheets of die cut sandpaper to be loaded at once.



**TUFF LOCK POLE SANDER**  
Die cast aluminum base 3 1/4" x 9 1/4" reinforced ridges to prevent bowing, universal joint with low center of gravity. Tuff Lock clamp design allows several sheets of die cut sandpaper to be loaded at once.

**SANDER ADAPTER**  
Converts a pole sander head from fine thread to rough thread to attach a painter pole. Aluminum construction, more durable than plastic, accepts most painters poles.



**DRYWALL HAWK ALUMINUM**

- Tempered aluminum construction
- Grain finish and circular grooves prevent material from sliding.
- Wood handle with rubber callous preventor



**DRYWALL TROWEL**

- High grade tempered steel blade is curved, designed to feather and taper drywall joints.



**INSIDE CORNER TOOL**

- Flexible, tempered stainless steel blades for finishing INSIDE corners.
- WAL-BOARD® replacement blades available



**OUTSIDE CORNER TOOL**

- Flexible, tempered stainless steel blades for finishing OUTSIDE corners.
- Designed to finish cornerbead around window doors
- WAL-BOARD® replacement blades available



# SECTION 9 DRY WALL CENTER

•Finishing •Hanging •Sanding •Stilts •Taping •Textures

## WALLBOARD

**JOBGING ITEM NO**                      **PK**  
9988-036    53-019                              1

**JOBGING ITEM NO**    **SIZE**    **COLOR**    **PK**  
9988-033    53-001    1 lb..    Silver    1  
9988-074    53-004    1 lb.    Diamond    1  
9988-035    53-007    1 lb.    Gold    1

**JOBGING ITEM NO**                      **PK**  
9988-114    54-050                                      1

**JOBGING ITEM NO**    **SIZE**                      **PK**  
9988-085    58-003    36" x 8"                                      6

**JOBGING ITEM NO**                      **PK**  
9988-096    52-005                                      1

**JOBGING ITEM NO**    **SIZE**                      **PK**  
9988-094    62-009    2-8" x 1 3/4"                                      1

**JOBGING ITEM NO**                      **PK**  
9988-097    83-005                                      1

**JOBGING ITEM NO**    **SIZE**                      **PK**  
9988-111    54-005    4" x 4"                                      12  
9988-112    54-006    6" x 6"                                      12  
9988-113    54-007    8" x 8"                                      12

## TEXTURING/ SPRAYING

**PLASTIC GLITTER GUN**  
Light weight hand held unit requires no compressor. Use on wall and ceilings



**GLITTER**  
Popular colors designed to resist fading and tarnishing



**STUCCO MACHINE**  
Light weight and durable, used to apply color coat, acoustic and drywall mud. Can match most surfaces. 2 qt. capacity.



**SPRAY SHIELD**  
**18" SLANT CUT HANDLE**  
1/2" Tip to catch runoff



**WAL-PRO HOPPER GUN**  
One piece body with rust resistance internal parts. Sprays acoustic (popcorn) materials, wall texture and most interior and exterior materials. 3 solid brass orifices included 3/16", 1/4", 5/16". Operates with any compressor with a minimum of 2.4 CFM@90PSI/5.3 CFM@40PSI.



**DOUBLE TEXTURED BRUSH**  
4" trim tampico bristle.



**PORTA COMPRESSOR AND GUN**  
• Suitable for use with WAL-PRO®, SPRAY-PRO®, TEXTURE-PRO® AND SPRAYING MANTIS® Hopper Guns  
• Cart is all steel construction with two (2) rubber wheels  
• Rotary vane compressor produces 6 CFM at 25 PSI  
• 1 H.P. capacitor start electric motor with 25' electric cord - 50' Air hose  
• 107 lb.



**DRYWALL REPAIR PATCH**  
Metal patch provides lasting repair on walls and ceilings, self adhering mesh holds patch to surface during repair, may be trimmed for smaller size holes.



**251-443-6110**  
**251-408-0410 Fax**

**Toll Free: 1-800-621-6952**  
**(In Alabama) 1-800-672-6707**



**WARNER TOOLS**

JOBGING ITEM NO	SIZE	PK
9982-073	10229 24" - 40"	1 Pair
9982-074	10230 18" - 30"	1 Pair

JOBGING ITEM NO	SIZE	PK
9982-075	90748 8"	5
9982-076	90750 10"	5
9982-077	90752 12"	5

JOBGING ITEM NO	SIZE	PK
9982-078	90758 8"	5
9982-079	90760 10"	5
9982-080	90762 12"	5

JOBGING ITEM NO	SIZE	PK
9982-003	184 4 1/2"	10
9982-004	186 6"	10
9982-009	199 10"	10

JOBGING ITEM NO	PK
9982-081 217	5

JOBGING ITEM NO	SIZE	PK
9982-082 207	12"	10

JOBGING ITEM NO	SIZE	PK
9982-083 625	6 1/2" Blade	6

**DRYWALL TOOLS**

***EZ-STRIDE STILTS***

- Lightweight
- Adjustable - without tools
- Dual spring action
- Adjustable sole and heel plates rubber sole
- Weight limit 225 lbs. with tools



***PRO GRIP 2 TAPING KNIFE XL BLUE STEEL***

- Soft Grip
- Ergonomic Handles
- Stainless steel blades



***PRO GRIP 2 TAPING KNIFE XL STAINLESS STEEL***

- Soft Grip
- Ergonomic Handles
- Stainless steel blades



***FLEX BROAD KNIFE - STAINLESS STEEL***



***90° INSIDE CORNER TROWEL***

- Stainless steel blades
- Corrosion Proof



***STAINLESS STEEL MUD PAN***

- 12" Spot welded



***DRYWALL SAW BLADE***

- Needle sharp long lasting teeth
- Extremely Stiff blade with chisel point
- Ergonomic Grip for comfort.



**WARNER TOOLS**

<b>JOBGING ITEM NO</b>	<b>PK</b>
9982-084 218	1

<b>JOBGING ITEM NO</b>	<b>SIZE</b>	<b>PK</b>
9982-085 223	48"	1

<b>JOBGING ITEM NO</b>	<b>SIZE</b>	<b>PK</b>
9982-086 345	Adj. w/Fan Blade	5
9982-087 347	36"	5

<b>JOBGING ITEM NO</b>	<b>SIZE</b>	<b>PK</b>
9982-088 338		1

<b>JOBGING ITEM NO</b>	<b>SIZE</b>	<b>PK</b>
9982-089 438	7 1/2 X 2 1/4"	5

**DRYWALL TOOLS**


***POLE SANDER MALE THREADED  
48" FEMALE HANDLE***

- Swivel Head
- All heads accept standard die cut sandpaper and 3/4" standard threaded extension poles.




***DRYWALL T SQUARE***

- 1/8" thick aluminum with easy to read 1/8" graduations. Light Duty Use



***DRYWALL MIXERS***

- Heavy Duty 5 gallon mixers for drywall compound. Mixer heads don't stop short, they reach all the way to the bottom of the bucket, Hexagonal steel shafts fit 1/2" drill.



***1 1/4" CORNER BEAD CRIMPER W/MALLET***



***DRYWALL WOOD RASP***

